



CLASSIC 125 KHZ PLUS READER

PRODUCT DISCONTINUATION NOTIFICATION

Date of issuance: May 25, 2023

PDN number: PDN-230501-01

DocRev: 01




TABLE OF CONTENTS

1	INTRODUCTION.....	2
1.1	DISCONTINUATION INFORMATION	2
1.2	REVISION HISTORY	2
2	PARTS AND PRODUCTS AFFECTED.....	2
3	SUCCESSOR	3
4	TIMELINE.....	3
5	CONTACT.....	4

1 INTRODUCTION

1.1 DISCONTINUATION INFORMATION

This discontinuation notice informs that sesamsec is discontinuing the manufacture of a number of products. All affected products and associated part numbers are listed in this document.

This notification is intended to inform our customers and partners, so they have the opportunity to respond and modify their product portfolio accordingly. Should you have any further questions regarding this product discontinuation, we stand ready to assist you at any stage, in order to minimize the impact of this product discontinuation on your business.

1.2 REVISION HISTORY

VERSION	CHANGE DESCRIPTION	EDITION
01	First edition	05/2023

2 PARTS AND PRODUCTS AFFECTED

The PDN comprises the entire series of Classic 125 kHz Plus Reader products. This relates to both, the OEM PCBs (i.e. modules) and the housing versions. All product variants and derivatives are affected, including all customer-specific derivatives.

The product discontinuation also includes all variants, and all accessories items that differ among others by different cable connectors, firmware options, being equipped with keypad, different housing colors, etc. The common product name is **Classic 125 kHz Plus Reader**, with optional amendments to this name.

PART NUMBER	PRODUCT
HFS-LWA-YYY-KK	Classic 125 kHz Plus Reader
HFS-TKWA-YYY-KK	Classic 125 kHz Plus Reader with keypad

YYY = stands for different housing colors

3 SUCCESSOR

The sesamsec GmbH is in process to plan and develop a successor product. This successor product is expected to be available in the first half of 2024. Further details will be coming available soon. In the meantime, please contact sesamsec sales (see section 5 contact).

4 TIMELINE

Last time buy date

This date represents the last opportunity to place an order with sesamsec. All orders placed before and including the specified date will be accepted. All orders placed after this date will not be accepted, you will have to switch directly to the substitute product.

Last time delivery date

After this date, the specified discontinued products will no longer be shipped.

End of maintenance

Any maintenance or repair of the product no matter HW or SW will not be performed anymore after this date. Maintenance includes, but is not limited to the following operations:

- Fixing of small errors "bugs" in the SW (Non-Breaking Bugs)
- Implementation of new features and functions (mostly SW)
- Development / customization of SW and HW to maximize performance, stability and security

End of support

At the end of support date, all support of the product is no longer available. This includes, but is not limited to, immediate support to the partner or customer for technical issues in the field. Furthermore, support including technical assistance for existing or new installations. SLAs (Service Level Agreement) contracts are of course observed by sesamsec as long as they apply and until they expire.

DESCRIPTION	DATE
LAST TIME BUY DATE	June 30, 2023
LAST TIME DELIVERY DATE	Due to current chip allocation the last delivery date must be aligned individually
END OF MAINTENANCE	Nov 30, 2023
END OF SUPPORT	May 31, 2024

5 CONTACT

For technical inquiries or questions, please contact:

support@sesamsec.com

For commercial inquiries or questions, please contact:

info@sesamsec.com

sesamsec GmbH

Finsterbachstrasse 1 • 86504 Merching • Germany

P +49 8233 79445-0

F +49 8233 79445-20

info@sesamsec.com • sesamsec.com

sesamsec reserves the right to change any information or data in this document without prior notice. sesamsec declines all responsibility for the use of this product with any other specification but the one mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification. Disclaimer: All names used in this document are registered trademarks of their respective owners.