

# CYLINDER SYSTEMS

## PRODUCT DISCONTINUATION NOTIFICATION

Date of issuance: December 02, 2024

PDN number: PDN-240926-01

DocRev: 01



# TABLE OF CONTENTS

1	INTRODUCTION.....	2
1.1	DISCONTINUATION INFORMATION .....	2
1.2	REVISION HISTORY .....	2
2	PARTS AND PRODUCTS AFFECTED.....	3
3	SUCCESSOR .....	3
4	TIMELINE.....	4
5	CONTACT .....	5

## 1 INTRODUCTION

### 1.1 DISCONTINUATION INFORMATION

This discontinuation notice informs that sesamsec is discontinuing the manufacture of a number of products. All affected products and associated part numbers are listed in this document.

This notification is intended to inform our customers and partners, so they have the opportunity to respond and modify their product portfolio accordingly. Should you have any further questions regarding this product discontinuation, we stand ready to assist you at any stage, in order to minimize the impact of this product discontinuation on your business.

### 1.2 REVISION HISTORY

VERSION	CHANGE DESCRIPTION	EDITION
01	First edition	09/2024

## 2 PARTS AND PRODUCTS AFFECTED

The PDN comprises the entire series of Cylinder Systems products. A certain amount of product variants and derivatives are affected.

The product discontinuation includes variants, and accessories items that differ among others by different cable connectors, firmware options, housing colors, etc. The common product name is **ISE-ZZS**, with optional amendments to this name.

PART NUMBER	PRODUCT
ISE-ZZS-G2-XXX/PA	Set Cylinder + Switching Box
ISE-ZZS-G2-XXX	Set Cylinder Standard + Switching Box
ISE-ZZS-VDS-G2	Set Cylinder VdS + Switching Box (VdS G104001)
ISE-ZZS-ZSB/B	Switching Box VdS for electronic Cylinder
ISE-ZZS-ZSB/PA	Switching Box VdS for electronic Cylinder
ISE-ZZS-ZSB-G2	Switching Box VdS for electronic Cylinder
ISE-ZZS-ZSB-G2/B	Switching Box VdS for electronic Cylinder
ISE-ZZS-ZSB-G2/PA	Switching Box VdS for electronic Cylinder

## 3 SUCCESSOR

There is no successor for this product. If you need any consulting, please contact sesamsec sales.

# 4 TIMELINE

## Last time buy date

This date represents the last opportunity to place an order with sesamsec. All orders placed before and including the specified date will be accepted. All orders placed after this date will not be accepted, you will have to switch directly to the substitute product.

## Last time delivery date

After this date, the specified discontinued products will no longer be shipped.

## End of maintenance

Any maintenance or repair of the product no matter HW or SW will not be performed anymore after this date. Maintenance includes, but is not limited to the following operations:

- Fixing of small errors "bugs" in the SW (Non-Breaking Bugs)
- Implementation of new features and functions (mostly SW)
- Development / customization of SW and HW to maximize performance, stability and security

## End of support

At the end of support date, all support of the product is no longer available. This includes, but is not limited to, immediate support to the partner or customer for technical issues in the field. Furthermore, support including technical assistance for existing or new installations. SLAs (Service Level Agreement) contracts are of course observed by sesamsec as long as they apply and until they expire.

DESCRIPTION	DATE
LAST TIME BUY DATE	Nov 30, 2024
LAST TIME DELIVERY DATE	Dec 31, 2024
END OF MAINTENANCE	Jan 31, 2025
END OF SUPPORT	Jan 31, 2025

# 5 CONTACT

**For technical inquiries or questions, please contact:**

[support@sesamsec.com](mailto:support@sesamsec.com)

**For commercial inquiries or questions, please contact:**

[info@sesamsec.com](mailto:info@sesamsec.com)

## **sesamsec GmbH**

Finsterbachstrasse 1 • 86504 Merching • Germany

P +49 8233 79445-0

F +49 8233 79445-20

info@sesamsec.com • sesamsec.com

sesamsec reserves the right to change any information or data in this document without prior notice. sesamsec declines all responsibility for the use of this product with any other specification but the one mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification. Disclaimer: All names used in this document are registered trademarks of their respective owners.